

Sample Received: **April 15, 2026**

COA Issued: **June 5, 2026**

## PRODUCT INFORMATION

Vendor: **Neurovia**      Sample Name: **CerebJ147, DIHEXA, NOOPE1Capsule**      Sample Type:      Lot Number: **CEREBCAP4-2026**      MW (g/mol): **504.6, 350.3, 318.4**

## ANALYTICAL METHODS

**Identity:** Confirmed via MALDI-MS



**Purity:** RP-HPLC (214 nm)

**Content:** HPLC quantitation

## TEST RESULTS

Specification	Result	Method	Status
Identity: Cerebra X J147/DIHEXA/NOOPE1	J147, DIHEXA, NOOPE1	MALDI-MS	✓ Conforms
Content		HPLC Quantitation	✓ Conforms
Overall Purity	99.7%	RP-HPLC (214 nm)	✓ Conforms
Endotoxin	<0.05 EU/mL	<USP85>	✓ Conforms
Heavy Metals	<0.001 ppm	<USP232>	✓ Conforms

HPLC Chromatogram (Retention Time: 2.400, 8.167, 8.967 min)



**Certification:** This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>



*Shane Straight*  
 Shane Straight, M.S.  
 Principal Chemist, Bioviridian Inc.