

Sample Received: March 30, 2026

COA Issued: June 9, 2026

## PRODUCT INFORMATION

Vendor: Neurovia      Sample Name: VIP      Sample Type: White lyophilized powder      Lot Number: VIP042026-10      MW (g/mol): 3325 g/mol

## ANALYTICAL METHODS

Identity: Confirmed via MALDI-MS



Purity: RP-HPLC (214 nm)

Content: HPLC quantitation

## TEST RESULTS

| Specification  | Result       | Method            | Status     |
|----------------|--------------|-------------------|------------|
| Identity: VIP  | VIP          | MALDI-MS          | ✓ Conforms |
| Content        |              | HPLC Quantitation | ✓ Conforms |
| Overall Purity | 99.9%        | RP-HPLC (214 nm)  | ✓ Conforms |
| Endotoxin      | <0.005 EU/mL | <USP85>           | ✓ Conforms |
| Heavy Metals   | <0.001 ppm   | <USP231>          | ✓ Conforms |

HPLC Chromatogram (Retention Time: 6.767 min)



Certification: This COA confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Visit: <https://bioviridians.com/coa-search.html>

*Shane Straight*  
Shane Straight, M.S.  
Principal Chemist, Bioviridian Inc.